

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	853	expos\$6 near4 (Al or Aluminum) near8 (oxygen or nitrogen or N or O)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/08 08:27
2	L2	624	L1 and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/08 08:27
3	L3	435	L2 and ((@ad<"20010105") or (@rlad<"20010105"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/08 08:27
4	L4	156	L3 and (low near2 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/06/08 08:27

	L #	Hits	Search Text	DBs	Time Stamp
5	L5	156	L4 and (aluminum or Al or AlO or "Aluminum oxide" or AlON or "Aluminum oxynitride" or AlN or "Aluminum nitride")	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:38
6	L6	25	L5 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:09
7	L7	4	(( "20040266217" ) or ( "6797525" ) ).PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:00
8	L8	2	( "5046045" ) .PN.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:05

	L #	Hits	Search Text	DBs	Time Stamp
9	L9	955	(438/239).CCLS.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:05
10	L10	1286	(438/240).CCLS.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:05
11	L11	2363	(438/253).CCLS.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:05
12	L12	4340	(438/396).CCLS.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:05

	L #	Hits	Search Text	DBs	Time Stamp
13	L13	28629	micron.as.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:10
14	L14	3838	13 and aluminum	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:10
15	L15	188	14 and (temperature near8 "300")	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:10
16	L16	62	15 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:11

	L #	Hits	Search Text	DBs	Time Stamp
17	L17	62	16 and (O or N or oxygen or nitride)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:11
18	L18	3340	aluminum with temperature with "300"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:12
19	L19	4	13 and 18	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:15
20	L20	1101 84	aluminum near8 (O or N or oxygen or nitride)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:15

	L #	Hits	Search Text	DBs	Time Stamp
21	L21	823	13 and 20	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:16
22	L22	403	21 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:16
23	L23	326	22 and temperature	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:16
24	L24	302	23 and dielectric	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:16

	L #	Hits	Search Text	DBs	Time Stamp
25	L25	267	24 and low	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:17
26	L26	146	24 and (low near4 temperature)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:18
27	L27	73	26 and ((@ad<"20010105") or (@rlad<"20010105"))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:22
28	L28	6580 3	millier.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:23

	L #	Hits	Search Text	DBs	Time Stamp
29	L29	1854	28 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:23
30	L30	363	29 and dielectric	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:23
31	L32	290	30 and (aluminum or Al)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:24
32	L33	144	32 and temperature	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:29



	L #	Hits	Search Text	DBs	Time Stamp
33	L34	0	33 and high-k	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:29
34	L35	28	33 and (high\$4 near2 dielectric)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:37
35	L36	4107	forbes.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:37
36	L37	6319 487	(aluminum or Al or AlO or "Aluminum oxide" or AlON or "Aluminum oxynitride" or AlN or "Aluminum nitride")	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:39

	L #	Hits	Search Text	DBs	Time Stamp
37	L38	1235 19	37 near8 temperature	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:39
38	L39	278	36 and 38	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:40
39	L40	165	39 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:40
40	L41	138	40 and dielectric	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:43

	L #	Hits	Search Text	DBs	Time Stamp
41	L42	102	41 and "300"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:44
42	L43	8	41 and (temperature near4 "300")	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:47
43	L44	1783 5	Ahn.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:47
44	L45	2670	44 and 37	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:48

	L #	Hits	Search Text	DBs	Time Stamp
45	L46	56	45 and (aluminum near6 temperature)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:54
46	L47	1632	Eldridge.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:57
47	L48	174	47 and capacitor	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:57
48	L49	147	48 and 37	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:57

	L #	Hits	Search Text	DBs	Time Stamp
49	L50	101	49 and temperature	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 10:59
50	L51	1286	(438/240) .CCLS.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	2005/06/08 11:37